

## SAFETY DATA SHEET

## Lube-En®

## SECTION 1: Identification of the substance or mixture and of the company or undertaking

## 1.1. Product

identifier Trade  
name  
Lube-En®

## 1.2. Relevant identified uses of the substance or mixture and uses which are not recommended Relevant identified uses of the substance or mixture

Lubricant  
For professional use  
only.  
Uses that are not  
recommended  
Not known.

## 1.3. Information on the supplier of the safety data sheet Company name and address

**EnviOn Oy**  
Katajaharjunkaari 4  
45720 Kouvola Finland  
358 (0)10 3200 200

[www.envion.fi](http://www.envion.fi)

Contact person

Tarmo Paloniemi

E-mail address

[myynti@envion.fi](mailto:myynti@envion.fi)

Reviewed

20.12.2024

KTT version

1.0

## 1.4. Emergency hotline

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazard identification

## 2.1. Classification of a substance or mixture

Not classified according to Regulation (EC) No 1272/2008 (CLP).

## 2.2. Markings

Warning signs

Not applicable.

Note:

Not applicable.

Risk phrases

Not applicable.

Safeguard

clauses

General

-

Prevention

-

Rescue measures

-  
Storage

-  
Waste management

Hazardous  
substances  
Not known.

Supplementary information  
EUH210, Safety Data Sheet supplied on request.

## 2.3. Other

hazards

Miscellaneous

s

This mixture/product does not contain substances that would meet the criteria to be classified as PBT and/or vPvB. The product does not contain substances identified as endocrine disrupters according to the criteria laid down in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: Composition and information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Alloys

Product/ingredient	Tags	Concentration	Classification	Re marks
1,2-Ethanediol; ethylene glycol	CAS: 107-21-1 EC: 203-473-3 REACH ref. no.: 01-2119456816-28-XXXX Index No: 603-027-00-1	10-20%	Acute Tox. 4, H302	[1]
2-Aminoethanol; ethanolamine	CAS: 141-43-5 EC: 205-483-3 REACH ref. no.: 01-2119486455-28-XXXX Index No: 603-030-00-8	<1%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412	[1]

The H phrases are given in full in section 16. Occupational hygiene limit values are given in section 8, where available.

### Other information

[1] European occupational exposure limit value.

## SECTION 4: First aid measures

### 4.1. Description of first aid

#### measures General

In case of an accident: contact a doctor or first aid - take the label or this safety data sheet with you.

If symptoms persist or if you are unsure the injured person's condition, seek medical attention. Never give an unconscious person water or anything to drink.

#### Inhaled

In case of breathing difficulties or respiratory irritation: move the person to fresh air and monitor their

condition.

**Contact with the skin**

If irritation occurs: rinse with water. If irritation persists: seek medical attention.

**Contact with the eyes**

IF CHEMICAL GETS IN EYES: Rinse immediately with water (20 - 30 °C) for at least 5 minutes. Seek medical attention. Remove any contact lenses. Continue rinsing during transport.

**Swallowed**

If the person is conscious, rinse the mouth with water and control the person. Do not give the person anything to drink. In case of nausea. Do not vomit unless advised to do so by a doctor. Keep your head down so that any vomit does not flow back into your mouth or throat.

**Palovamma**

Not applicable.

**4.2. Main symptoms and effects, both immediate and delayed**

Unknown.

**4.3. Advice on immediate medical attention and special care that may be required** Treat according to symptoms.**Information for doctors**

Take this safety data sheet or the product label with you.

**SECTION 5: Fire-fighting measures****5.1. Fire extinguishers**

Suitable extinguishing media: alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: water spray must not be used as it may spread the fire.

**5.2. Special hazards arising from the substance or mixture**

The fire produces thick smoke. Exposure to decomposition products may pose a health hazard. Cool closed containers exposed to the fire with water. Fire-fighting water must not be allowed to run off into the sewerage system or watercourse.

If the product is exposed to high temperatures, e.g. in a fire, it may form dangerous degradation products. These include:

Carbon oxides (CO/CO<sub>2</sub>)

**5.3. Fire prevention instructions**

No specific requirements.

**SECTION 6: Accidental release measures****6.1. Precautions, personal protection and emergency procedures**

Ensure proper ventilation, especially in confined spaces.

Contaminated areas may be slippery

**6.2. Precautions for the environment**

Avoid discharges into lakes, rivers, sewage systems, etc. Keep outsiders away from the spill

**6.3. Methods and equipment for containment and cleaning**

Use sand, kieselguhr or general absorbents to collect non-combustible materials and store the material in a container for disposal, in accordance with local regulations.

If possible, use ordinary cleaning products for cleaning. Avoid the use of solvents.

**6.4. References to other points**

For information on waste management, see section 13 "Waste management considerations". See protective measures in section 8 "Exposure prevention and personal protective equipment".

**SECTION 7: Handling and storage****7.1. Precautions for safe handling** Avoid contact

during pregnancy and breast-feeding.

Smoking, eating and drinking are not allowed in the workplace.

See information on personal protective equipment in section 8 "Exposure prevention and personal protective equipment".

**7.2. Conditions for safe storage, including incompatibilities** Opened containers must be carefully resealed and kept upright to prevent leakage.

#### Suitable packaging

Store in the original packaging.

#### Storage conditions

Dry, cool and well ventilated

#### Incompatible materials

Bases

Strong acids

#### 7.3. Specific end use

This product should only be used as described in section 1.2.

### SECTION 8: Exposure prevention and personal protective equipment

#### 8.1. Controlled parameters 1,2-

ethanediol; ethylene glycol

HTP values (8 h) (ppm): 20

HTP values 8 h) (mg/m<sup>3</sup>): 50

HTP values (15 min) (ppm): 40

HTP values 15 min) (mg/m<sup>3</sup>): 100 Note:

Skin= Absorption through the skin is possible.

Glyseroli

HTP values 8 h) (mg/m<sup>3</sup>): 20

2-Aminoethanol;

ethanolamine HTP values (8

h) (ppm): 1

HTP values 8 h) (mg/m<sup>3</sup>): 2.5

HTP values (15 min) (ppm): 3

HTP values 15 min) (mg/m<sup>3</sup>): 7.6 Note:

Skin= Absorption through the skin is possible.

Decree of the Ministry of Social Affairs and Health on concentrations known to be harmful (654/2020).

#### DNEL

1,2-Ethanediol; ethylene glycol

Duration:	Exposure route:	DNEL:
Long-term - local impacts - workers	Inhaled	35 mg/m <sup>3</sup>
Long-term - local impacts - population	Inhaled	7 mg/m <sup>3</sup>
Long-term - Systematic effects - workers	Through the skin	106 mg/kg/day
Long-term - Systematic effects - population	Through the skin	53 mg/kg/day

2-Aminoethanol; ethanolamine

Duration:	Exposure route:	DNEL:
Long-term - local impacts - workers	Inhaled	510 µg/m <sup>3</sup>
Long-term - local impacts - population	Inhaled	280 µg/m <sup>3</sup>
Long-term - Systematic effects - workers	Inhaled	1 mg/m <sup>3</sup>
Long-term - Systematic effects - population	Inhaled	180 µg/m <sup>3</sup>
Long-term - Systematic effects - workers	Through the skin	3 mg/kg/day
Long-term - Systematic effects - population	Through the skin	1.5 mg/kg/day
Long-term - Systematic effects - population	By mouth	1.5 mg/kg/day

Glyseroli

Duration:	Exposure route:	DNEL:
-----------	-----------------	-------

Long-term - local impacts - workers	Inhaled	220 mg/m <sup>3</sup>
Long-term - local impacts - population	Inhaled	132 mg/m <sup>3</sup>

## P EC

1,2-Ethanediol; ethylene glycol

Exposure route:	Duration of exposure:	PNEC:
Periodic emission (freshwater)		10 mg/L
Periodic emission (seawater)		10 mg/L
Waste water treatment plant		199.5 mg/L
Country		1.53 mg/kg
Freshwater sediment		37 mg/kg
Freshwater		10 mg/L
Sea water sediment		3.7 mg/kg
Sea water		1 mg/L

2-Aminoethanol; ethanolamine

Exposure route:	Duration of exposure:	PNEC:
Periodic emission (freshwater)		28 µg/L
Waste water treatment plant		100 mg/L
Country		1.29 mg/kg
Freshwater sediment		357 µg/kg
Freshwater		70 µg/L
Sea water sediment		35.7 µg/kg
Sea water		7 µg/L

Glyceroli

Exposure route:	Duration of exposure:	PNEC:
Waste water treatment plant		1 g/L

## 8.2. Exposure prevention

Compliance with the limit values must be monitored regularly. [General recommendations](#)

Smoking, eating and drinking are not allowed in the workplace.

### Exposure scenarios

No exposure scenarios have been provided for this product.

### Occupational exposure limit values

Professional users are subject to the provisions of the workplace legislation on maximum exposure levels. See occupational hygiene limit values above.

### Appropriate technical control measures

Vapour generation should be minimised and the vapour concentration should be kept below the current limit values (see above). If necessary, use target exhaust if ventilation in the workplace is not adequate. Ensure that eye rinses and emergency showers are visibly marked.

Take normal precautions when using the product. Avoid inhalation of vapours.

### Hygiene measures

Exposed areas of the body should be washed whenever there is a break in the use of the product or when work stops. Pay particular attention to hands, arms and face

### Precautions to limit environmental exposure

No specific requirements.

## Personal protective measures, such as personal protective equipment

General

Use only CE-marked protective equipment.

### Respiratory protection

Type	Category	Colour	Standards
------	----------	--------	-----------

Respiratory protection is not required if ventilation is adequate.

#### Skin protection

Recommendation	Type/Category	Standards
----------------	---------------	-----------

Wear work clothing.



#### Hand protection

Material from	Thickness (mm)	Transit time (min.)	Standards
---------------	----------------	---------------------	-----------

Protective gloves

-

-

EN374



#### Eye and face protection

Type	Standards
------	-----------

Wear goggles, with side shields.

EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties Form

Liquid

Colour

Brown

Odour / Odour

threshold (ppm) Mild

pH

Testing irrelevant or not possible due to the nature of the product.

Density (g/cm<sup>3</sup>)

1,1

Kinematic viscosity

Testing irrelevant or not possible due to the nature of the product.

Properties of particles Not

applicable to liquids.

#### Space change and vapours

Melting and freezing point (°C)

-35

Softening point or range (°C)

Not applicable to liquids.

Boiling point (°C)

>100

Vapour pressure

Testing irrelevant or not possible due to the nature of the product.

Relative density of vapour

Testing irrelevant or not possible due to the nature of the product.

Decomposition temperature (°C)

Testing irrelevant or not possible due to the nature of the product.

#### Fire and explosion hazard

Flash point (°C)

>100

**Flammability (°C)**

Testing irrelevant or not possible due to the nature of the product.

**Self-ignition temperature (°C)**

&gt;150

**Explosion limits (% v/v)**

Testing irrelevant or not possible due to the nature of the product.

**Solubility Solubility****in water**

Testing irrelevant or not possible due to the nature of the product.

**Partition coefficient: n-octanol/water (LogKow)**

Testing irrelevant or not possible due to the nature of the product.

**Fat solubility (g/L)**

Testing irrelevant or not possible due to the nature of the product.

**9.2. Other information****Other physical and chemical parameters**

Data not available.

**Oxidising properties**

Testing irrelevant or not possible due to the nature of the product.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

The product is stable under the conditions described in section 7 "Handling and storage".

**10.3. Possibility of dangerous reactions**

Not known.

**10.4. Conditions to avoid**

Protect from heat, hot surfaces, sparks, open flames and other sources of ignition. Extreme temperatures

**10.5. Incompatible materials**

Strong oxidising agents

**10.6. Hazardous decomposition products**

Under normal storage and use, no degradation products should be formed

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No****1272/2008 Immediate toxicity**

Product/ingredient	Glycerol
Species:	Rat
Exposure route:	Oral route
The test:	LD50
The result:	>11500 mg/kg

Product/ingredient	Glycerol
Species:	Rat
Exposure route:	Inhalation
The test:	LC50 (4 h)
The result:	>275 mg/cm <sup>3</sup>

**Skin corrosivity/irritation**

Based on the available data, the classification criteria are not met.

**Severe eye damage/eye irritation**

Based on the available data, the classification criteria are not met.

**Respiratory sensitisation**

Based on the available data, the classification criteria are not met.

**Skin sensitisation**



Based on the available data, the classification criteria are not met.

#### Genome-damaging effects on germ cells

Based on the available data, the classification criteria are not met.

#### Carcinogenic effects

Based on the available data, the classification criteria are not met.

#### Reproductive toxicity

Based on the available data, the classification criteria are not met.

#### Life Cycle Toxicity - Single Exposure

Based on the available data, the classification criteria are not met.

#### Acute toxicity - repeated exposure

Based on the available data, the classification criteria are not met.

#### Aspiraatiovaara

Based on the available data, the classification criteria are not met.

#### 11.2. Information on other

##### hazards Long-term effects

Not known.

#### Endocrine disrupting properties

This mixture/product does not contain substances considered to have endocrine disrupting properties for health.

#### Other

informati

on Not

known.

## SECTION 12: Information on hazards to the environment

### 12.1. Toxicity

Product/ingredient	Glycerol
Species:	Fish, Pimephales promelas
Duration:	96 h
The test:	LC50
The result:	>885 mg/L

Product/ingredient	Glycerol
Species:	Water vole, Daphnia magna
Duration:	48 h
The test:	LC50
The result:	1955 mg/L

Product/ingredient	Glycerol
Species:	Algae, Microcystis aeruginosa
Duration:	192 hours
The test:	EC50
The result:	2900 mg/L

### 12.2. Stability and degradability

Product/ingredient	Glycerol
Conclusion:	-
The test:	OECD 301 C

### 12.3. Bioaccumulation

Product/ingredient	Glycerol
LogKow:	-1.76 (imputed)
Conclusion:	-

### 12.4. Mobility in soil

No information available.

### 12.5. Results of the PBT and vPvB assessment

This mixture/product does not contain substances that would meet the criteria to be classified as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain substances considered to have endocrine disrupting properties in the environment.

### 12.7. Other adverse effects

Not

known.

## SECTION 13: Waste management aspects

### 13.1. Waste treatment methods

The product is not covered by legislation on hazardous waste.

Commission Regulation (EU) No 1357/2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives.

European Waste Code Not applicable.

### Contaminated packaging

Packaging containing residues of the product is disposed of in accordance with the same regulations as the product.

## SECTION 14: Transport information

	<b>14.1 UN No</b>	<b>14.2 Official name for transport</b>	<b>14.3 Transport hazard classes</b>	<b>14.4 PG*</b>	<b>14.5 Env**</b>	<b>Other data:</b>
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental

hazards

### Miscellaneous

Not a dangerous product according to ADR, IATA and IMDG rules.

### 14.6. Special precautions for the user

Not applicable.

### 14.7 Sea transport in bulk in accordance with IMO instruments

Information not available.

## SECTION 15: Legislative information

### 15.1. Safety, health and environmental regulations or legislation specific to the substance or mixture

#### Restrictions on use

For professional use only.

Pregnant and breastfeeding women should not be exposed to this product. The risk of exposure and the technical protection measures to prevent exposure must be taken into account.

#### Specific training requirements

No specific requirements.

#### SEVESO - Categories of dangerous substances / Designated dangerous substances

Not applicable.

#### Change

Not applicable.

#### Sources

Government Decree on the protection of pregnant workers and workers who have recently given birth or are breastfeeding from hazardous agents at work (143/2024)

Commission Regulation (EU) No 1357/2014 replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

**SECTION 16: Other information.****H-phrases listed under point 3 in full text** H302, Harmful if

swallowed.

H312, Harmful in contact with skin.

H314, Very corrosive skin and eyes. H318, Seriously damaging to eyes.

H332, Harmful by inhalation.

H335, May cause respiratory tract irritation.

H412, Harmful to aquatic organisms, long term adverse effects.

**Abbreviations**

ADN = European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR= European Agreement concerning the International Carriage of Dangerous Goods by Road

AS= Exposure scenario

ATE= Acute toxicity estimate BCF =

Biological bioaccumulation factor

CAS= Chemical Identification Number System

CLP= Regulation on classification, labelling and packaging of chemicals [Regulation (EU) No.

1272/2008] CSA = Chemical Safety Assessment

KTR= Chemical Safety Report

DNEL= Derived no-effect exposure level

EINECS= European Inventory of Existing Commercial Substances

EUH phrases = CLP additional hazard statements

EuPCS= European Product Classification System

EWC = European Waste Catalogue

GHS = Globally Harmonised System of Classification and Labelling of Chemicals

GWP = Global Warming Potential

HTP= Concentration known to be

harmful IATA = International Air Transport

Association

IBC= Intermediate Bulk Container, IBC container

IMDG = International Maritime Dangerous

Goods Convention

MARPOL = International Convention for the Prevention of Marine Pollution 73/78, ("Marpol" = marine pollution)

OECD= Organisation for Economic Co-operation and Development

PBT = persistent, bioaccumulative and toxic

PNEC = predicted no effect concentration

RID = International Rail Regulations RRN =

REACH registration number

SCL= Specific concentration limit

SVHC= Substance of very high concern

STOT-SE= Occupational toxicity - repeated exposure

STOT-RE= Occupational toxicity - single exposure

UN = United

Nations

UVCB= Substance of unknown or variable composition, complex reaction product or biological material

VOC = Volatile Organic Compounds

vPvB= Very persistent and highly bioaccumulative " [More](#)**information**

Not applicable.

**The safety data sheet has been validated** The safety data sheet

has not been validated.

**Change**

Changes to the previous major version (the first number of the version number, see section 1 of the KTT) are indicated by a blue triangle.

The information in this safety data sheet applies only to the product mentioned in section 1 and does not necessarily apply to use with other products.

It is recommended that this safety data sheet be provided to the actual user of the product. The information provided must not be used as a product label.

Country-language: FI-fi